
Administrer



dans PostGreSQL

URL pour créer une table et des données


Attention de ne pas créer un utilisateur sans mot de passe lors de l'installation.


http://127.0.0.1:33793/browser/


```
Voici la procédure linux pour resetter le mot de passe :

vous@ordinateur:~$ sudo su
root@ordinateur:/home/vous# su - postgres
postgres@ordinateur:~$ psql

postgres=# \password
Enter new password
Enter again
postgres=#
```


pgAdmin 4 - Google Chrome
127.0.0.1:33793/browser/
pgAdmin
File
Object
Tools
Help
Browser
Servers
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Welcome
pgAdmin
Management Tools for PostgreSQL
Feature rich | Maximises PostgreSQL | Op
pgAdmin is an Open Source administration and management t
developers, DBAs and system administrators alike.
an SQL query tool, a procedural code debugger and much more. The tool is designed to answer the needs of
Quick Links
Add Ne
Configure pgAdmin
Getting Started
Planet PostgreSQL
Community Support
Create - Server
General
Connection
SSL
SSH Tunnel
Advanced
Host name/address
localhost
Port
5432
Maintenance database
postgres
Username
postgres
Password
Save password?
Role
Service
Cancel
Reset
Save
Si votre serveur de base de données n'apparait pas dans pgAdmin4


pgAdmin 4 - Google Chrome
pgAdmin 4
127.0.0.1:33793/browser/
pgAdmin
File
Object
Tools
Help
Browser
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Servers (1)
localhost
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Schemas (1)
public
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Procedures
Sequences
Tables
Trigger Functions
Types
Views
Login/Group Roles
Tablespaces
Database sessions
Total
Active
Idle
Transactions per second
Transactions
Commits
Rollbacks
Tuples in
Inserts
Updates
Delete
Tuples out
Fetched
Returned
Block I/O
Reads
Hits
Server activity
Sessions
Locks
Prepared Transactions
Search
PID
User
Application
Client
Backend start
State
Wait event
Blocking PIDs
14145
postgres
psql
2020-08-26 10:16:43 EDT
idle
Client: ClientRead
14404
postgres
pgAdmin 4 - DB:postgres
127.0.0.1
2020-08-26 10:19:55 EDT
active


pgAdmin 4 - Google Chrome
pgAdmin 4
127.0.0.1:33793/browser/
pgAdmin
File
Object
Tools
Help
Browser
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Servers (1)
localhost
Databases (1)
postgres
Login/Group Roles
Tablespaces
Create - Database
General
Definition
Security
Parameters
Advanced
SQL
Database
laboratoire
Owner
postgres
Comment
Cancel
Reset
Save
Il ne faut pas travailler dans la base de données de postgres,
127.0.0.1:33793/browser/#pgC_3342